

L Number	Hits	Search Text	DB	Time stamp
-	138	725/117.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 12:05
-	2	725/117.ccls. and son.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 12:06
-	8793	725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 12:06
-	149	725/\$.ccls. and transcod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 15:09
-	4544	transcod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 12:14
-	2	(transcod\$4 with tag\$4) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 12:14
-	34	transcod\$4 with tag\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 12:30
-	116	(decod\$4) with (MPEG) with (ATM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 12:34
-	22	(decod\$4) with (MPEG) with (DSS)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 12:34
-	11369	(receiv\$6) with (different or multiple or plural\$6) with (format\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 15:09
-	327	725/\$.ccls. and ((receiv\$6) with (different or multiple or plural\$6) with (format\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 14:18
-	44	((receiv\$6) with (different or multiple or plural\$6) with (format\$4)) with (tag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 14:18

-	2	725/\$.ccls. and (((receiv\$6) with (different or multiple or plural\$6) with (format\$4)) with (tag\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 13:20
-	17864	(attach\$6 or assign\$4) with tag\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 14:16
-	2	((attach\$6 or assign\$4) with tag\$4) with transcod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 14:16
-	11739	(multi\$6 or plural\$4 or several or numerous) with (format\$4) with (receiv\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 15:08
-	327	725/\$.ccls. and ((receiv\$6) with (different or multiple or plural\$6) with (format\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 14:18
-	47	((multi\$6 or plural\$4 or several or numerous) with (format\$4) with (receiv\$4)) with (tag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 14:18
-	14	(((multi\$6 or plural\$4 or several or numerous) with (format\$4) with (receiv\$4)) with (tag\$4)) not (((receiv\$6) with (different or multiple or plural\$6) with (format\$4)) with (tag\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 14:30
-	2	("6628891").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 15:18
-	1031	725/25-31.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 15:44
-	2	(multi\$1format with receiv\$4) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 15:45
-	77	multi\$1format with receiv\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 16:16
-	15125	receiv\$4 with (convert\$4) with (format\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 16:16

-	533	((receiv\$4 with (convert\$4) with (format\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 16:16
-	8	((receiv\$4 with (convert\$4) with (format\$4)) and 725/\$.ccls.) and (MPEG) and ATM and DSS	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 16:17
-	99	((receiv\$4 with (convert\$4) with (format\$4)) and 725/\$.ccls.) and tag\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 17:16
-	1156	370/466.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:28
-	922	370/466.ccls. and conver\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:41
-	416	370/466.ccls. and (conver\$5 with format\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:42
-	529	725/31.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:56
-	1	tranmi\$6 with format\$4 with conver\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:08
-	2896	tag\$4 with byte\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:08
-	93615	(switch\$4 or select\$4 or convert\$4) with format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 13:44
-	294	((switch\$4 or select\$4 or convert\$4) with format) and 348/441.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 11:08
-	38	((switch\$4 or select\$4 or convert\$4) with format) and 348/469.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:57

-	5	((switch\$4 or select\$4 or convert\$4) with format) and 348/441.ccls.) and tag\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 11:09
-	80	((switch\$4 or select\$4 or convert\$4) with format) and 348/441.ccls.) and (add\$4 with (bit\$2 or byte\$2 or tag\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 11:40
-	17894	((switch\$4 or select\$4 or convert\$4) with format) and (add\$4 with (bit\$2 or byte\$2 or tag\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 11:40
-	18646	((switch\$4 or select\$4 or convert\$4) with format) and ((add\$4 or attach\$4) with (bit\$2 or byte\$2 or tag\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 11:41
-	4	((switch\$4 or select\$4 or convert\$4) with format) and 348/441.ccls.) and (attach\$4 with (bit\$2 or byte\$2 or tag\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 11:41
-	2558	((switch\$4 or select\$4 or convert\$4) with format) same ((add\$4 or attach\$4) with (bit\$2 or byte\$2 or tag\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 11:42
-	125	((switch\$4 or select\$4 or convert\$4) with format) same ((add\$4 or attach\$4) with (bit\$2 or byte\$2 or tag\$4))) and 348/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 11:42
-	465	((switch\$4 or select\$4 or convert\$4) with format) same ((add\$4 or attach\$4) with (bit\$2 or byte\$2 or tag\$4))) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 11:42
-	26	((switch\$4 or select\$4 or convert\$4) with format) same ((add\$4 or attach\$4) with (bit\$2 or byte\$2 or tag\$4))) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 11:42
-	1120	((switch\$4 or select\$4 or convert\$4) with format) same ((add\$3 or attach\$3) with (bit\$2 or byte\$2 or tag\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 11:42
-	10	((switch\$4 or select\$4 or convert\$4) with format) same ((add\$3 or attach\$3) with (bit\$2 or byte\$2 or tag\$4))) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 15:10
-	68	((switch\$4 or select\$4 or convert\$4) with format) same ((add\$3 or attach\$3) with (bit\$2 or byte\$2 or tag\$4))) and 348/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 11:44

-	213	((switch\$4 or select\$4 or convert\$4) with format) same ((add\$3 or attach\$3) with (bit\$2 or byte\$2 or tag\$4))) and 370/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 11:51
-	16	((switch\$4 or select\$4 or convert\$4) with format) same ((add\$3 or attach\$3) with (bit\$2 or byte\$2 or tag\$4))) and 370/466.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 11:52
-	123	((switch\$4 or select\$4 or convert\$4) with format) and 725/25-31.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 15:09
-	1196	370/473,474.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 16:06
-	299	370/473.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 15:30
-	959	370/474.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 15:30
-	94	370/472.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 15:30
-	1331	370/522.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 15:30
-	94	370/523.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 15:30
-	63	((switch\$4 or select\$4 or convert\$4) with format) and 370/473.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 15:30
-	243	((switch\$4 or select\$4 or convert\$4) with format) and 370/474.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 15:30
-	231	((switch\$4 or select\$4 or convert\$4) with format) and 370/522.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 15:30

-	30	((switch\$4 or select\$4 or convert\$4) with format) and 370/523.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 15:30
-	22	((switch\$4 or select\$4 or convert\$4) with format) and 370/472.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 16:03
-	46	370/473,474.ccls. and (((micro or mini) adj cell) or chunk)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 16:24
-	102800	(attach\$3 or add\$3) with (bit\$1 or byte\$1 or tag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 16:24
-	7031	((attach\$3 or add\$3) with (bit\$1 or byte\$1 or tag\$4)) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 16:25
-	11336	((attach\$3 or add\$3) with (bit\$1 or byte\$1 or tag\$4)) and ((switch\$4 or select\$4 or convert\$4) with format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 16:25
-	1120	((attach\$3 or add\$3) with (bit\$1 or byte\$1 or tag\$4)) same ((switch\$4 or select\$4 or convert\$4) with format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 16:25
-	648	370/476.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 09:36
-	95	370/472.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 09:36
-	2	("5874985").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 14:02
-	3033	370/470-476.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 15:08
-	162	370/470-476.ccls. and (multi\$6 or plural\$4 or several or numerous) with (format\$4) with (receiv\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 15:09

-	525	370/470-476.ccls. and ((switch\$4 or select\$4 or convert\$4) with format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 15:09
-	141	(receiv\$6) with (different or multiple or plural\$6) with (format\$4) and 370/470-476.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 15:09
-	37	370/470-476.ccls. and transcod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 15:09
-	21	(((switch\$4 or select\$4 or convert\$4) with format) same ((add\$3 or attach\$3) with (bit\$2 or byte\$2 or tag\$4))) and 370/470-476.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 15:10